O

	Application No.	Applicant(s)
	10/549,269	HEISMANN BIODN
Notice of Allowability	Examiner	HEISMANN, BJORN Art Unit
	Hoon Song	2882
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject	oplication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>response filed on 8/10/2007</u> .		
2. The allowed claim(s) is/are <u>1-18</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. \(\subseteq Copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
Attachment(s)	5 (T) N 2 (1 ()	Detect A cellectic
1. Notice of References Cited (PTO-892)	5. Notice of Informal	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summar Paper No./Mail Da	y (P10-413), ate
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ☐ Examiner's Amend	Iment/Comment
Paper No./Mail Date 8/10/2007 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statem	nent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/549,269

Art Unit: 2882

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 8/10/2007 has been entered.

Allowable Subject Matter

Claims 1-18 are allowed over prior art.

The following is an examiner's statement of reasons for allowance:

Regarding claims 1-18, the prior art fails to teach a method for imaging examination object by administering a contrast agent to the examination object, thereafter determining at least two spatial distributions of x-ray attenuation values basis of a first and second x-ray spectrums, determining at least one of a spatial distribution of one or more predefined atomic number values and a spatial distribution of non-predefined atomic number values present in the examination object and using the spatial atomic number distribution to represent the contest agent by imaging as claimed in independent claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 2882

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Seppi (US 4149081) teaches CT system for removing of spectral artifact by measuring two spectra but fails to teach the allowable subject matter above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoon Song whose telephone number is (571) 272-2494. The examiner can normally be reached on 9:30 AM - 7 PM, Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Glick can be reached on (571) 272 - 2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/549,269

Art Unit: 2882

Hoon Song
Primary Examiner
Art Unit 2882

8/16/2007

Page 4